CUMULATIVE AUTHOR INDEX
Medical Entomology
Volume 44, 2007

A

Adjemian, J., 328
Afonso, C., 840
Agui, N., 72
Aguiar, D. M., 126
Ahn, Y.-J., 524
Akogbéto, M., 270, 651, 805
Aksoy, S., 102, 660
Al-Ahmadi, Z., 385
Albernaz, D.A.S., 799
Albina, E., 1019
Aldstadt, J., 65
Alout, H., 463
Amore, G., 303
Amos, M., 601
Anderson, J. F., 1102
Anderson, T. D., 1047
Andreadis, T. G., 1102
Arlian, L. G., 1054
Armbruster, P., 984
Asidi, A., 270

B

Bahia, A. C., 903
Baimai, V., 723
Balbino, V. Q., 639
Baldet, T., 990, 1019
Bangs, M. J., 163, 543, 723, 1032
Barbosa-Filho, J. M., 249
Barnard, D. R., 1040
Barral, A., 903
Bayoh, M. N., 14
Bearden, S. W., 672, 678
Beckett, G. A., 1118
Becnel, J. J., 263, 1040
Beebe, N. W., 376
Beerntsen, B. T., 295
Beier, J. C., 923
Bell, J. A., 111
Benkova, I., 150
Berkebile, D. R., 765
Berthomieu, A., 463
Berticat, C., 463
Bertolotti, L., 303
Bevins, S. N., 945
Biddulph, P., 568
Biggerstaff, B. J., 530
Birkett, M. A., 367
Bitzhenner, M., 345
Blondeau, J., 723
Blount, K., 29
Bochkov, A. V., 405
Boko, P., 270
Bond, J. G., 631
Bonnet, J., 270
Bossard, R. L., 915
Bouges-Michel, C., 796
Bouvresse, S., 796
Bouyer, J., 788
Brattsten, L. B., 705
Brault, A. C., 320
Bray, D. P., 779
Brown, C. R., 42
Brown, G. C., 470
Brown, M. B., 42
Brown, T., 530
Bruel, C., 796
Bueno, R., Jr., 530
Burkett, D. A., 29, 381
Burkhardt, N. Y., 1091
Butlin, R. K., 133

C

Caci, J., 29
Cadenas, F. M., 683, 869, 1109
Cahill, B., 1118
Calder, L., 328
Camargo, L. M. A., 126
Cameron, M. M., 367, 624
Cancrini, G., 1064
Capinera, J. L., 509
Cardona, C. J., 840
Carlson, J., 589
Carmichael, J. A., 80
Cavalcante, G. T., 126
Cêtre-Sossah, C., 1019
Chadee, D. D., 111
Chakrabarti, S., 840
Chandre, F., 651, 805
Chang, K.-S., 1086
Chang, L.-H., 205
Chareonviriyaphap, T., 1032
Cheek, J., 530
Chelbi, I., 385, 597
Chen, A. C., 1013
Chi, H., 772
Choi, Y.-M., 1086
Chong, S.-T., 1086
Chrisawn, C., 589
Christensen, B. M., 102
Christiansen, J. A., 229
Clark, G. G., 263
Clark, J. M., 1009
Cohuet, A., 990
Coleman, R. E., 29, 381
Conrad, P. A., 328
Cooper, R. D., 376
Coosemans, M., 651
Corbel, V., 270
Corcoran, S., 376
Corn, J. L., 155
Cornel, A. J., 145, 229
Costantini, C., 990
Coutinho-Abreu, I. V., 639
Crnjar, R., 656
Crowther, D., 568
Cui, F., 463
Cummings, M. A., 998
Cupp, E. W., 117

D

Dabiré, K. R., 990
Dabire, R. K., 60
Dabritz, H., 328
Danyk, T., 741
Darpel, K. E., 238
Dasgupta, R., 102
da Silva Dias, C., 249
da Silva Gomes, C. M., 249
Davey, R. B., 277, 283, 308
Dearborn, R., 1118
de Carvalho Queiroz, M. M., 249
DeGroote, J., 1139
Delécolle, J.-C., 1019
Delgado, M. A., 851
de Meeüs, T., 788
Denison, E., 238
Dennett, J. A., 381
Denning, S., 666
Dennison, N., 256
de Oliveira Cabral, M. M., 249
Derbali, M., 385
De Resende, B. D., 718
de Silva, A. M., 168
Desiree, E. J., 498
Deunff, J., 179
Dia, I., 990
Diabaté, A., 60, 990
Di Paolo, M., 1064
Djogbénou, L., 805
Dong, Y., 492
Douet, V., 683, 869, 1109
Dowling, A. P. G., 405
Drazenovich, N., 328
Drolet, B. S., 238
Dujardin, J.-P., 788
Durand, R., 796
Dusfour, I., 723
Duvallet, G., 433

E

Edillo, F. E., 145
Edwards, E. A., 42
Eisen, L., 359, 389, 694
Eisen, R. J., 530, 672, 678, 694
Elbel, R. E., 915
El Fahem, A., 385

Elias, S., 1118
Elyazar, I. R. F., 543
Engelthaler, D. M., 530
Enscore, R. E., 530
Eremeeva, M. E., 158
Esparza Rentaria, J. A., 895
Espinoza, P. M., 851
Estrada-Peña, A., 1130
Ettestad, P., 530
Evangelista, L. G., 398

F

Fabrice, C., 498
Falconar, A.K.I., 930
Fall, N., 1054
Fallon, A. M., 608
Falótico, T., 718
Fang, Y., 299, 316, 320
Fernandes, F. F., 903
Ferrandino, F. J., 1102
Fisher, J., 1139
Foil, L. D., 171, 714
Foley, D. H., 554
Foley, J. E., 328
Foley, P., 328
Fontenille, D., 990
Foppa, I. M., 145
Frances, S. P., 845
Frank, P. A., 155
Free, H. M., 102
Fuchs, J., 102

G

Gabrielli, S., 1064
Gadawski, R., 457, 1026
Gage, K. L., 530, 672, 678
Galimard, A. M., 970
Garcia, S., 320
Gatton, M. L., 192
Gbur, J. R., 881
Geier, M., 345
Gennari, S. M., 126
George, J. E., 277, 283, 308, 895
Gern, L., 683, 869, 1109
Gerry, A. C., 840
Gilles, J., 433
Gilmore, W., 29
Gimnig, J., 14
Gionar, Y. R., 163, 543
Githeko, A. K., 758
Githure, J. I., 336, 923
Gordon, A. L., 851
Grant, A. J., 617
Grego, E., 303
Greiser-Wilke, I., 238
Gruner, S. V., 509, 516
Gu, W., 336
Guerrero, R., 8
Guerrini, L., 788
Guiguemdé, T. R., 990
Guillet, P. F., 651
Guo, X., 492
Gurevitz, J. M., 186
Gürtler, R. E., 186
Guy, J. S., 666

H

Hall, R. D., 881
Hall-Mendelin, S., 845
Hamilton, J.G.C., 779
Hammond, S. N., 851
Hanson, B. A., 155
Harbach, R. E., 133, 723
Harrington, L. C., 50, 422
Harris, E., 851
Harshaw, L., 589
Hart, B. J., 568
Hashimoto, T., 822
Haskell, N. H., 881
Hassan, H. K., 117
Haynes, K. F., 175
Healy, S. P., 830
Heise, S., 1047
Heng-Moss, T. M., 351
Hieu, T. T., 524
Higa, Y., 822
Higley, L. G., 351
Hill, N., 624
Ho, C.-M., 205
Honda, S., 427
Hougard, J.-M., 651, 805
Hsu, E.-L., 205
Hu, C., 102, 450
Hu, R., 158
Huang, S., 705
Hubbard, J. L., 470
Humair, P.-F., 683, 869, 1109
Hutcheson, H. J., 1091

I

Irungu, L., 14
Isenstadt, M., 133
Ishikawa, T., 822
Itoh, T., 651
Izar, P., 718
Izri, A., 796

J

Jacob, B., 336, 503
Jacobs, J. S., 1086
Jahn, M. B., 752, 830
Jambulingam, P., 1
Jang, Y.-S., 524
Jansen, C. C., 845
Jawara, M., 970
Jennings, B. T., 29
John, G., 503
Johnson, P. H., 845
Johnston, J. S., 1009
Jones, J. W., 65, 938, 1086
Jordan, R. A., 752, 830
Jouda, F., 683
Juliano, S. A., 215, 580
Jung, W.-C., 524

K

Kabiru, E., 336
Kaneko, A., 601
Kasai, S., 72, 822
Kashima, I., 822
Kawada, H., 427
Kay, B. H., 192
Kemp, D., 817
Kengluecha, A., 65
Kent, R. J., 50
Kesavaraju, B., 215, 580
Ketavan, C., 1032
Kijchalao, U., 65
Kim, H.-C., 1086
King, D. J., 840
Kiszewski, A. E., 211
Kitron, U., 186
Kittinger, B., 589
Klavons, J. A., 277
Klein, T. A., 1086
Knee, W., 709
Knight, R., 381
Knols, B. G. J., 970
Knowles, D. P., 484
Knox, T. B., 192
Kobayashi, M., 72, 822
Koenraadt, C.J.M., 65, 938
Komagata, O., 72, 822
Komar, N., 42
Kono, Y., 72
Krafsur, E. S., 998
Kramer, L. D., 1074
Kuan, G. M., 851
Kumar, N. P., 1
Kuney, D. R., 840
Kuno, G., 93
Kurta, A., 179, 953
Kurtti, T. J., 1091

L

Labruna, M. B., 126, 222, 718
Lacombe, E. H., 1118
Lambin, E. F., 133
Lane, R. S., 320
Langner, K. F. A., 238
Lanzaro, G. C., 145
LaPointe, D. A., 861
Lee, C.-K., 524
Lee, I.-Y., 1086
Lee, S.-W., 72
Lee, W.-J., 1086
Lehmann, T., 60
Leibold, W., 238
Leite, A.C.R., 398
Lepore, T. J., 211
Levin, M. L., 732
Levy, C. E., 530
Li, K., 450
Li, L., 608
Lilley, B. M., 117
Linthicum, K. J., 263
Liscia, A., 656

Litrico, I., 433
Llinás, H., 930
Long, S. A., 256, 345
López, J. D., 851
López, M. M., 851
Lowell, J. L., 672
Lowery, R. J., 295
Lu, B., 492
Lubelczyk, C. B., 1118
Lugo, E. d. C., 851
Lum, J. K., 601
Lundberg, U., 440
Luz, C., 799
Lysyk, T. J., 741, 959

M

Mahama, T., 498
Main, A. J., 1102
Malafronte, R. D. S., 538
Manguin, S., 723
Mannelli, A., 303
Marina, C. F., 631
Marinotti, O., 222, 538
Marques, R. C., 222
Marquez, J. G., 998
Marrelli, M. T., 222, 538
Martin, T., 651
Martinez, V. M., 299, 320
Martins Mendonça, P., 249
Masala, C., 656
Mascari, T. M., 171, 714
Mather, T. N., 372, 898
Mathieu, B., 1019
Matioli, S. R., 222
Mattila, J. T., 1091
Mbogo, C. M., 336, 503, 923
McAbee, R. D., 145, 229
McIntyre, N. E., 80
Meepagala, K. M., 263
Mellor, P. S., 238
Meola, M. A., 1074
Mercer, D. R., 1139
Mertens, P. P. C., 238
Mertins, J. W., 155
Metz, G., 589
Metzger, M. E., 158
Meyer, A. M., 694
Midega, J. T., 923
Millard, B., 796
Miller, J. A., 277
Miller, N. J., 898
Miller, R. J., 283, 308, 895
Milligan, P., 970
Millogo, N., 60
Minakawa, N., 758
Miranda, J. C., 903
Mitchell, M. A., 171, 714
Montenieri, J. A., 530, 672, 678
Moore, A. T., 42
Moore, S. J., 624
Morales-Malacara, J. B., 8
Moreno, G., 851
Moret, J., 683, 1109
Morgan, M. S., 1054
Motoki, M., 822
Munderloh, U. G., 1091
Munga, S., 758
Muriu, S., 336, 503
Muturi, E. J., 336, 503
Mwambi, H., 923
Mwangangi, J. M., 336, 503, 923

N

Nabity, P. D., 351
Nam, V. S., 192
Nassar, M. N., 538
Natarajan, R., 1
Nayduch, D., 660
Nebbia, P., 303
N'Guessan, R., 270
Nielsen, C. F., 1067
Nieto, N. C., 328
Nimtz, M., 238
Niño, E. L., 666
Noh, S. M., 484
Norris, D. E., 50
Northill, J. A., 845
Nosbisch, L. K., 168
Novak, R., 336, 503
Nzovu, J. G., 923

O

O'Connell, R. J., 617
OConnor, B. M., 405
Odiere, M., 14
Odjo, A., 270
O'Donnell, D. L., 984
Ojwang, G., 923
Olafson, P. U., 1013
Oldland, W. K., 117
Omi-Olsen, E., 320
Oorebeek, M., 901
Oreszczyn, T., 568
Ottoni, E. B., 718
Overgaard, H., 1032
Özer, N., 23

P

Palmer, G. H., 484
Pape, J., 530
Paradise, C. J., 589
Park, J.-S., 1086
Paskewitz, S. M., 102
Pereira, R. M., 263
Pérez, C. M., 631
Perrin, A., 1019
Pickett, J. A., 367
Pierre, C., 498
Piesman, J., 830
Pimenta, P. F. P., 903
Pinter, A., 126
Pittendrigh, B. R., 1009
Pollack, R. J., 211
Ponlawat, A., 422
Pothikasikorn, J., 1032
Potter, D. A., 175
Potter, M. F., 175, 470
Prates, D. B., 903
Pretlove, S., 568
Pridgeon, J. W., 263
Proctor, H., 709
Pruett, J. H., 1013
Pudiantari, R., 163
Putnam, J. L., 29

Q

Qiao, C., 463
Qiu, Y. T., 970
Quiroz Martinez, H., 895

R

Ragagli, C., 303
Rais, O., 683, 1109
Rajavel, A. R., 1
Ramalho-Ortigão, J. M., 639
Ramirez, C. C. L., 538
Rand, P. W., 1118
Ravel, S., 788
Raymond, M., 805
Reddy, M. R., 211
Reiff, D. M., 601
Reisen, W. K., 299, 316, 320, 1067
Reiter, M. E., 861
Reiter, P., 211
Reynolds, P. J., 530
Ribolla, P.E.M., 222
Ridley, I., 568
Rismiller, P., 901
Ritchie, S. A., 256, 345, 376, 845
Rocha, L.F.N., 799
Rochon, K., 666
Rodgers, S. E., 372, 898
Rodriguez, J., 440
Rojas, J. C., 631
Romero, A., 175
Romero-Vivas, C.M.E., 930
Romi, R., 1064
Rosati, S., 303
Rotstein, M. A., 1040
Rowland, M., 270
Rowton, E. D., 29, 171, 381, 714
Rueda, L. M., 554
Ruiz, C., 624
Russell, R. C., 256, 345
Ryan, P. A., 192

S

Salazar, V., 440
Santos, A. H., 799
Sattabongkot, J., 1086
Scaramozzino, P., 1064
Schoenly, K. G., 881
Schofield, S., 457, 1026
Scholl, P. J., 765
Schouls, L. M., 869
Schulze, C. J., 830

Schulze, T. L., 752, 830
Schumaker, T.T.S., 222
Scoles, G. A., 484
Scott, T. W., 65, 938
Secundino, N. F. C., 903
Sherwood, V., 29, 381
Shi, L., 102
Shililu, J., 336, 503
Shinjo, G., 822
Shinta, 543
Shono, T., 822
Sidibé, I., 788
Silva, H.H.G., 799
Simmons, K., 320
Simmons, R. J., 845
Sismadi, P., 543
Sithiprasasna, R., 938
Skelton, A. C., 367
Slone, D. H., 509, 516
Smallegange, R. C., 970
Smith, G. A., 85, 845
Smith, I. L., 85
Smith, L., 589, 666
Smith, R. P., Jr., 1118
Soares, M. J., 249
Sochanta, T., 723
Solano, P., 788
Solari, P., 656
Sollai, G., 656
Somboon, P., 133
Sonoda, I. V., 639
Sorensen, M. A., 811
Soto-Centeno, J. A., 953
Souza, A. P. A., 903
Souza, L. F., 222
Spielman, A., 145, 211
Spitzen, J., 970
Spradling, S., 29
Starkey, S. R., 1047
Stoops, C. A., 543
Strauss, R. E., 80
Strycharz, J. P., 1009
Styer, L. M., 1074
Sugumaran, R., 1139
Sukowati, S., 543
Swayne, D., 840

T

Tai, M.H.H., 799
Takagi, M., 427
Takahashi, T., 822
Takken, W., 970
Taleo, G., 601
Tan, Y., 463
Tanaka, I., 822
Tanda, D., 530
Tanikawa, T., 822
Targhetta, J., 530
Taylor, D. B., 765
Temeyer, K. B., 1013
Teng, H.-J., 205
Tepper, M., 457, 1026
Ter Braak, C. J. F., 970
Thévenon, S., 788
Thullner, F., 817
Tillard, E., 433
Toma, L., 1064
Tomassone, L., 303
Tomita, T., 72, 822
Tonon, A. P., 222
Toprak, S., 23
Tovar, M., 440
Tripet, F., 145
Troughton, D. R., 732
Trout, R. T., 470
Trumble, J. T., 811
Trung, H. D., 723
Tsai, T.-J., 772
Tsuda, Y., 822
Tsunoda, T., 575
Turell, M. J., 111

U

Ucci, M., 568
Ueti, M. W., 484
Unnasch, T. R., 117

V

Valenzuela, J. G., 639
Valle, J., 631
Valle, S. I., 851
van Beek, T. A., 970
van den Hurk, A. F., 85, 376, 845
Van De Pol, I., 869
van Loon, J. J. A., 970
Vanwambeke, S. O., 133
Varela-Stokes, A. S., 478
Vaughan, J. A., 111
Venzal, J. M., 1130
Verderane, M. P., 718
Vial, L., 788
Visetson, S., 1032
Volf, P., 150
Vulule, J., 14
Vythilingham, I., 723

W

Walker, E., 14
Walton, C., 133
Walton, W. E., 811
Watson, D. W., 666
Webb, C. E., 345
Weill, M., 463, 805
Whelan, P. I., 376
Whitaker, J. O., Jr., 179, 953
White, C. E., 29
White, W. H., 283
Wikswo, M. E., 158
Wilder, A. P., 678
Wilkerson, R. C., 554
Wilkinson, T., 568
Willadsen, P., 817
Williams, C. R., 256, 345
Williams, T., 631
Wilson, M. D., 923
Wrenn, W. J., 953

X

Xue, R.-D., 1040

Y

Yan, G., 758, 923
Yates, A., 270
Ye, G., 450
Yee, D. A., 215, 580
Yen, N. T., 192
Yoon, K. S., 1009
Yoon, S.-H., 1086
Yoshida, M., 822
Yue, X., 117

Z

Zaafouri, B., 385
Zhang, J., 1047
Zhao, T., 492
Zhioua, E., 385, 597
Zhou, G., 758
Zhu, G., 450
Zhu, J., 450
Zhu, K. Y., 1047
Zietlow, S. L., 102
Zolnik, C. P., 372

CUMULATIVE KEY WORD INDEX
Medical Entomology
Volume 44, 2007

1

12S rDNA,
bloodmeal, 869
host id.. tification, 869
Ixodes ricinus, 869
tick, 869

4

4-Poster,
integrated control, 830
Ixodes scapularis, 830
Maxforce, 830
Tick Management System, 830

A

abundance, 80, 192, 959
Aedes aegypti, 192
climatic indicators, 80
Culicoides sonorensis, 959
Gigantolaelaps mattogrossensis, 80
net, 192
Oryzomys palustris, 80
parity, 959
sampling, 192
seasonal variation, 80
surveillance, 192
survival, 959
temperature, 959
acari,
ectoparasites, 405
Madagascar, 405
mammals, 405
mites, 405
acaricide, 308, 895
permethrin, 308, 895
pesticide resistance, 308, 895
Rhipicephalus (*Boophilus*) *microplus*, 308, 895
southern cattle tick, 895
acaricide resistance, 817, 1013
Boophilus, 1013
Boophilus microplus, 817
cattle fever tick, 1013
coumaphos, 817
deltamethrin, 817
Ixodidae, 1013
OP resistance, 1013
rotation, 817
acetylcholinesterase, 72, 639, 805
Anopheles gambiae, 805
carbamate resistance, 639
dominance, 805
insecticide resistance, 72
insecticides, 805
Lutzomyia longipalpis, 639
organophosphorus resistance, 639
pediculicide efficacy, 72
Pediculus humanus humanus, 72
resistance, 805
acetylcholinesterase insensitivity,
Culex pipiens, 463
Culex tritaeniorhynchus, 463
insecticide resistance, 463
adhesion molecule,
B-T cell interaction, 1054
cytokine, 1054
immune modulation, 1054
Sarcoptes scabiei, 1054
adult mass,
bacteria, 580
container mosquito, 580
survival, 580
adulticide,
Aedes, 470
bifenthrin, 470
Culex, 470
lambda-cyhalothrin, 470
Aedes, 133, 470
adulticide, 470
Anopheles, 133
bifenthrin, 470
Culex, 470
lambda-cyhalothrin, 470
land cover, 133
larval habitat, 133
Thailand, 133
Aedes aegypti, 65, 111, 163, 192, 205, 256, 263, 345, 422, 427, 617, 631, 851, 930, 938
abundance, 192
Aedes albopictus, 205, 427
age and body size effect, 422
attraction kairomone, 617
BG-Sentinel, 345
BG-Sentinel trap, 427
bifenthrin, 256
calibration, 930
CDC trap, 427
container dynamics, 938
dengue, 111, 256, 263, 851, 938
Dengue virus, 163
electrophysiology, 617
estimation, 930
half-life, 631
heterogeneity, 345
host-seeking, 617
insecticide, 65, 263
larvicide, 631
lethal ovitrap, 256
low temperature, 205
LT_{50}, 205
Mansonella ozzardi, 111
mating, 422
microfilaria, 111
net, 192
Nicaragua, 851
oviposition, 256
oviposition response, 631
piperidine, 263
productivity, 851, 930
pupae, 930
pupal survey, 851
pyrethrin, 65
reverse transcriptase-polymerase chain reaction, 163
RNA, 163
sampling, 192, 345
spatial, 345
sperm capacity, 422
spinosad, 631
surveillance, 192
survival, 205
Thailand, 65, 938
transmission, 111
trapping reaction, 427
vector control, 65, 938
yellow fever, 263
Aedes albopictus, 205, 215, 427, 492, 1064
Aedes aegypti, 205, 427
BG-Sentinel trap, 427
CDC trap, 427
Culex pipiens, 1064
dengue-2 virus, 492
detritus, 215
diapause, 492
Dirofilaria, 1064
feeding behavior, 215
foraging ecology, 215
Italy, 1064
low temperature, 205
LT_{50}, 205
Ochlerotatus triseriatus, 215
survival, 205
trapping reaction, 427
vectors, 1064
vertical transmission, 492
Aedes mosquitoes,
container mosquito species, 376

internal transcribed spacer region 1, 376
polymerase chain reaction diagnostic, 376
Aedes sollicitans,
salinity, 705
temephos, 705
toxicity, 705
Aedes triseriatus,
Helodes pulchella, 589
leaf litter, 589
resource quantity and quality, 589
treeholes, 589
Aedes vexans,
Culex pipiens, 1102
Culex salinarius, 1102
mosquito biting cycles, 1102
West Nile virus, 1102
Aedini,
biological control, 799
Culicidae, 799
eggs, 799
fungi, 799
African highland,
Anopheles gambiae larvae, 758
habitat productivity, 758
malaria, 758
age and body size effect,
Aedes aegypti, 422
mating, 422
sperm capacity, 422
Alabama,
Culex, 117
overwintering, 117
West Nile virus, 117
altitudinal gradient,
genetic structure, 433
La Réunion Island, 433
microsatellite markers, 433
stable flies, 433
Amblyomma, 222, 718
anting, 718
Camponotus rufipes, 718
formic acid, 718
ITS2, 222
phylogeny, 222
repellence, 718
taxonomy, 222
ticks, 222
Amblyomma rotundatum,
Coluber constrictor, 155
tick paralysis, 155
amitraz,
resistance, 283
Rhipicephalus (*Boophilus*) *microplus*, 283
southern cattle tick, 283
An. pullus,
An. sinensis, 1086
Anopheles kleini, 1086
Korea, 1086
Plasmodium vivax, 1086
An. sinensis,
An. pullus, 1086
Anopheles kleini, 1086
Korea, 1086
Plasmodium vivax, 1086
Anaplasma phagocytophilum,
fleas, 328
Ixodes spp. ticks, 328
Yersinia pestis, 328
Anopheles, 133, 543
Aedes, 133
Indonesia, 543
Java, 543
land cover, 133
larval ecology, 543
larval habitat, 133
principal component analysis, 543
Thailand, 133
Anopheles cruzii,
Atlantic rain forest, 538
bromeliad-malaria, 538
Kerteszia, 538
second internal transcribed spacer, 538
Anopheles darlingi,
Cymbopogon citratus, 624
Mansonia spp., 624
plant-based, 624
repellent, 624
Anopheles farauti,
gene flow, 601
malaria, 601
Vanuatu, 601
vector control, 601
Anopheles funestus, 923, 990
Anopheles gambiae, 923
cytogenetics, 990
dispersal, 923
insecticide resistance, 990
malaria, 990
mark–release–recapture, 923
survival probability, 923
Anopheles gambiae, 14, 60, 270, 498, 805, 923
acetylcholinesterase, 805
Anopheles funestus, 923
clay pots, 14
Côte d'Ivoire, 498
dispersal, 923
dominance, 805
indoxacarb, 270
insecticide resistance, 270
insecticides, 805
knockdown resistance, 498
long-lasting impregnated nets, 498
mark–release–recapture, 923
molecular forms, 60
mosquito, 270
outdoor resting, 14
postmating, 60
resistance, 805
sampling, 14
survival probability, 923
Anopheles gambiae larvae,
African highland, 758
habitat productivity, 758
malaria, 758
Anopheles kleini,
An. pullus, 1086
An. sinensis, 1086
Korea, 1086
Plasmodium vivax, 1086
Anopheles minimus complex,
behavioral avoidance, 1032
carbaryl, 1032
cypermethrin, 1032
malathion, 1032
Anopheles quadrimaculatus,
chitin synthesis inhibitor, 1047
diflubenzuron, 1047
nikkomycin Z, 1047
polyoxin D, 1047
Anopheles sundaicus complex,
mitochondrial DNA, 723
morphology, 723
multiplex polymerase chain reaction, 723
Southeast Asia, 723
antigenic variation,
Borrelia, 168
Ixodes scapularis, 168
ticks, 168
VlsE, 168
antimicrobial peptide,
Glossina, 660
immunity, 660
Trypanosoma, 660
vector competence, 660
anting,
Amblyomma, 718
Camponotus rufipes, 718
formic acid, 718
repellence, 718
Arkansas,
Francisella tularensis, 389
Missouri, 389
ticks, 389
tularemia, 389
Armigeres subalbatus melanization,
Brugia malayi, 295
Brugia pahangi, 295
intraperitoneal microfilariae, 295
assemblage,
bat, 953
ectoparasite, 953
Mormoopidae, 953
Puerto Rico, 953

Atlantic rain forest,
Anopheles cruzii, 538
bromeliad-malaria, 538
Kerteszia, 538
second internal transcribed spacer, 538
attraction,
blood feeding fecundity, 1040
Edhazardia aedis, 1040
landing/probing, 1040
repellent protection time, 1040
attraction kairomone,
Aedes aegypti, 617
electrophysiology, 617
host-seeking, 617
autogeny,
biology, 597
Phlebotomus papatasi, 597
avermectins,
Culicoides imicola, 656
electrophysiology, 656
kairomones, 656
midge, 656
avian malaria,
Culex quinquefasciatus, 861
Hawai'i, 861
land use, 861
Plasmodium relictum, 861

B

B-T cell interaction,
adhesion molecule, 1054
cytokine, 1054
immune modulation, 1054
Sarcoptes scabiei, 1054
bacteria,
adult mass, 580
container mosquito, 580
survival, 580
Bartonella henselae,
California, 158
Rhipicephalus sanguineus, 158
Rickettsia rickettsii, 158
Rocky Mountain spotted fever, 158
bat,
assemblage, 953
ectoparasite, 953
Mormoopidae, 953
Puerto Rico, 953
bat ectoparasites,
Macronyssidae, 8
Parichoronyssus bakeri, 8
Phyllostomus, 8
bat fleas,
flea larvae, 915
flying squirrel fleas, 915
Insecta, 915
taxonomy, 915
bed bug,
insecticide resistance, 175
pyrethroids, 175
resurgence, 175
urban pest, 175
behavior, 367, 984
Dermatophagoides farinae, 367
foraging, 984
interactions, 984
invasive, 984
mite, 367
mosquito, 984
Tyrophagus putrescentiae, 367
Y-tube olfactometer, 367
behavioral avoidance,
Anopheles minimus complex, 1032
carbaryl, 1032
cypermethrin, 1032
malathion, 1032
BG-Sentinel,
Aedes aegypti, 345
heterogeneity, 345
sampling, 345
spatial, 345
BG-Sentinel trap,
Aedes aegypti, 427
Aedes albopictus, 427
CDC trap, 427
trapping reaction, 427
bifenthrin, 256, 470
adulticide, 470
Aedes, 470
Aedes aegypti, 256
Culex, 470
dengue, 256
lambda-cyhalothrin, 470
lethal ovitrap, 256
oviposition, 256
biogeography,
country occurrence records, 554
mosquito, 554
species richness, 554
species–area relationship, 554
biological control,
Aedini, 799
Culicidae, 799
eggs, 799
fungi, 799
biology,
autogeny, 597
Phlebotomus papatasi, 597
Blattella germanica,
botanical insecticide, 524
mode of action, 524
Myristica fragrans, 524
natural fumigant, 524
blood feeding fecundity,
attraction, 1040
Edhazardia aedis, 1040
landing/probing, 1040
repellent protection time, 1040
bloodmeal, 85, 869, 1109
12S rDNA, 869
Borrelia infected ticks, 1109
host DNA identification, 1109
host identification, 869
identification, 85
Ixodes ricinus, 869
mosquito, 85
PCR, 85
real-time, 85
tick, 869
bluetongue virus,
Culicoides sonorensis, 741
oviposition, 741
survival, 741
temperature, 741
Boophilus, 484, 1013
acaricide resistance, 1013
cattle fever tick, 1013
D. andersoni, 484
immunohistochemistry, 484
Ixodidae, 1013
OP resistance, 1013
tick-borne transmission, 484
Boophilus microplus,
acaricide resistance, 817
coumaphos, 817
deltamethrin, 817
rotation, 817
Borrelia,
antigenic variation, 168
Ixodes scapularis, 168
ticks, 168
VlsE, 168
Borrelia lonestari,
deer, 478
Ehrlichia chaffeensis, 478
Ehrlichia ewingii, 478
lone star ticks, 478
Borrelia lusitaniae,
Italy, 303
Ixodes ricinus, 303
Podarcis muralis, 303
Borrelia-infected ticks, 683, 1109
bloodmeal, 1109
climate, 683
host DNA identification, 1109
mixed infection, 683
phenology, 683
tick density, 683
botanical insecticide,
Blattella germanica, 524
mode of action, 524
Myristica fragrans, 524
natural fumigant, 524
Bothriocroton concolor,
echidna, 901
kangaroo, 901

Brazil,
dogs, 126
Ehrlichia canis, 126
prevalence, 126
Rhipicephalus sanguineus, 126
bromeliad-malaria,
Anopheles cruzii, 538
Atlantic rain forest, 538
Kerteszia, 538
second internal transcribed spacer, 538
Brugia malayi,
Armigeres subalbatus melanization, 295
Brugia pahangi, 295
intraperitoneal microfilariae, 295
Brugia pahangi,
Armigeres subalbatus melanization, 295
Brugia malayi, 295
intraperitoneal microfilariae, 295
BTV,
Culicoides, 1019
molecular phylogeny, 1019
Obsoletus complex, 1019
Burkina Faso,
geometric morphometrics, 788
Glossina palpalis gambiensis, 788
isolation, 788
microsatellite DNA, 788

C

C-terminal extension,
Culicomorpha, 608
intrinsic disorder, 608
low-complexity region, 608
ribosomal protein, 608
calibration,
Ae. aegypti, 930
estimation, 930
productivity, 930
pupae, 930
California,
Bartonella henselae, 158
Rhipicephalus sanguineus, 158
Rickettsia rickettsii, 158
Rocky Mountain spotted fever, 158
Cameronieta,
Cameronieta torrei dusbabeki, 179
Pteronotus quadridens fuliginosus, 179
Puerto Rico, 179
Spinturnicidae, 179
Cameronieta torrei dusbabeki,
Cameronieta, 179
Pteronotus quadridens fuliginosus, 179
Puerto Rico, 179
Spinturnicidae, 179
Camponotus rufipes,
Amblyomma, 718
anting, 718
formic acid, 718
repellence, 718
Canada,
deet, 457
insect repellent, 457
protection time, 457
sampling bias, 457
carbamate resistance,
acetylcholinesterase, 639
Lutzomyia longipalpis, 639
organophosphorus resistance, 639
carbaryl,
Anopheles minimus complex, 1032
behavioral avoidance, 1032
cypermethrin, 1032
malathion, 1032
carbon dioxide,
human odor, 970
mosquito sampling, 970
odor baits, 970
cattle fever tick,
acaricide resistance, 1013
Boophilus, 1013
Ixodidae, 1013
OP resistance, 1013
CDC trap,
Aedes aegypti, 427
Aedes albopictus, 427
BG-Sentinel trap, 427
trapping reaction, 427
Chagas disease,
dispersal polymorphism, 186
flight muscles, 186
reinfestation, 186
Triatominae, 186
chickens,
flies, 840
mechanical vector, 840
Newcastle disease virus, 840
poultry, 840
chitin synthesis inhibitor,
Anopheles quadrimaculatus, 1047
diflubenzuron, 1047
nikkomycin Z, 1047
polyoxin D, 1047
chromosomes,
endosymbiont, 1091
phylogeny, 1091
RCCE3, 1091
seabird soft tick, 1091
Chrysomya megacephala,
Diptera, 249
lignans, 249
postembryonic development, 249
yangambin, 249
clay pots,
Anopheles gambiae, 14
outdoor resting, 14
sampling, 14
cliff swallow,
coloniality, 42
noninfectious virus, 42
parasitism, 42
virus ecology, 42
climate, 359, 683, 694, 765, 1139
Borrelia-infected ticks, 683
Colorado, 359
Dermacentor andersoni, 359, 694
elevation, 694
geographic information system, 694
GIS, 1139
landscape, 1139
mixed infection, 683
mosquito, 1139
phenology, 683
population model, 765
seasonal activity, 359
Stomoxys, 765
tick, 694
tick density, 683
climate change,
climate niche, 1130
Mediterranean region, 1130
sensitivity, 1130
ticks, 1130
climate niche,
climate change, 1130
Mediterranean region, 1130
sensitivity, 1130
ticks, 1130
climatic indicators,
abundance, 80
Gigantolaelaps mattogrossensis, 80
Oryzomys palustris, 80
seasonal variation, 80
coagulation inhibition,
Culicoides nubeculosus, 238
proteomics, 238
saliva collection, 238
vasodilatation, 238
coloniality,
cliff swallow, 42
noninfectious virus, 42
parasitism, 42
virus ecology, 42
colonizing species,
gene flow, 998
invasive species, 998
mitochondrial variation, 998
phylogeography, 998

Colorado,
climate, 359
Dermacentor andersoni, 359
seasonal activity, 359
Coluber constrictor,
Amblyomma rotundatum, 155
tick paralysis, 155
container dynamics,
Aedes aegypti, 938
dengue, 938
Thailand, 938
vector control, 938
container mosquito,
adult mass, 580
bacteria, 580
survival, 580
container mosquito species,
Aedes mosquitoes, 376
internal transcribed spacer region 1, 376
polymerase chain reaction diagnostic, 376
control,
doramectin, 277
endectocide, 277
Rhipicephalus (*Boophilus*) *microplus*, 277
corvid,
Culex infection, 1067
domestic landscape, 1067
West Nile virus, 1067
coumaphos,
acaricide resistance, 817
Boophilus microplus, 817
deltamethrin, 817
rotation, 817
country occurrence records,
biogeography, 554
mosquito, 554
species richness, 554
species–area relationship, 554
crime scene,
forensic entomology, 516
homeostasis, 516
maggot mass, 516
thermal ecology, 516
Culex, 117, 211, 470
adulticide, 470
Aedes, 470
Alabama, 117
bifenthrin, 470
diel periodicity, 211
host seeking, 211
lambda-cyhalothrin, 470
overwintering, 117
oviposition, 211
West Nile virus, 117, 211
Culex infection,
corvid, 1067
domestic landscape, 1067
West Nile virus, 1067
Culex p. quinquefasciatus,
Culex pipiens complex, 145
microsatellite loci, 145
Culex pipiens, 463, 1064, 1102
acetylcholinesterase insensitivity, 463
Aedes albopictus, 1064
Aedes vexans, 1102
Culex salinarius, 1102
Culex tritaeniorhynchus, 463
Dirofilaria, 1064
insecticide resistance, 463
Italy, 1064
mosquito biting cycles, 1102
vectors, 1064
West Nile virus, 1102
Culex pipiens complex, 145, 229
Culex p. quinquefasciatus, 145
Culex quinquefasciatus, 229
in situ hybridization, 229
microsatellite loci, 145
polytene chromosomes, 229
Culex pipiens f. molestus,
Culex pipiens pipiens, 50
genetics, 50
microsatellites, 50
West Nile virus, 50
Culex pipiens form *molestus*,
Culex pipiens pallens, 822
insecticide resistance, 822
pyrethroid, 822
West Nile fever, 822
Culex pipiens pallens,
Culex pipiens form *molestus*, 822
insecticide resistance, 822
pyrethroid, 822
West Nile fever, 822
Culex pipiens pipiens,
Culex pipiens f. molestus, 50
genetics, 50
microsatellites, 50
West Nile virus, 50
Culex quinquefasciatus, 229, 299, 503, 861
avian malaria, 861
Culex pipiens complex, 229
Culex tarsalis, 299
Hawai'i, 861
in situ hybridization, 229
Kenya, 503
land use, 861
nonviremic transmission, 299
Plasmodium relictum, 861
polytene chromosomes, 229
rice agroecosystems, 503
trapping systems, 503
West Nile virus, 299
Culex salinarius,
Aedes vexans, 1102
Culex pipiens, 1102
mosquito biting cycles, 1102
West Nile virus, 1102
Culex tarsalis,
Culex quinquefasciatus, 299
nonviremic transmission, 299
West Nile virus, 299
Culex tritaeniorhynchus,
acetylcholinesterase insensitivity, 463
Culex pipiens, 463
insecticide resistance, 463
Culicidae, 1, 799
Aedini, 799
biological control, 799
DNA barcodes, 1
eggs, 799
fungi, 799
India, 1
taxonomy, 1
Culicoides,
BTV, 1019
molecular phylogeny, 1019
Obsoletus complex, 1019
Culicoides imicola,
avermectins, 656
electrophysiology, 656
kairomones, 656
midge, 656
Culicoides nubeculosus,
coagulation inhibition, 238
proteomics, 238
saliva collection, 238
vasodilatation, 238
Culicoides sonorensis, 741, 959
abundance, 959
bluetongue virus, 741
oviposition, 741
parity, 959
survival, 741, 959
temperature, 741, 959
Culicomorpha,
C-terminal extension, 608
intrinsic disorder, 608
low-complexity region, 608
ribosomal protein, 608
cutaneous leishmaniasis,
Phlebotomus, 23
sand fly, 23
Sanhurfa, 23
Turkey, 23
cuticular hydrocarbon,
forensic entomology, 450
gas chromatography-mass spectrometry, 450
necrophagous fly, 450
pupal exuviae, 450
Cymbopogon citratus,
Anopheles darlingi, 624
Mansonia spp., 624
plant-based, 624
repellent, 624

cypermethrin,
Anopheles minimus complex, 1032
behavioral avoidance, 1032
carbaryl, 1032
malathion, 1032
cytogenetics,
Anopheles funestus, 990
insecticide resistance, 990
malaria, 990
cytokine,
adhesion molecule, 1054
B-T cell interaction, 1054
immune modulation, 1054
Sarcoptes scabiei, 1054
Côte d'Ivoire,
Anopheles gambiae, 498
knockdown resistance, 498
long-lasting impregnated nets, 498

D

D. andersoni,
Boophilus, 484
immunohistochemistry, 484
tick-borne transmission, 484
deer,
Borrelia lonestari, 478
Ehrlichia chaffeensis, 478
Ehrlichia ewingii, 478
lone star ticks, 478
deer reduction,
I. scapularis, 752
Lyme disease risk, 752
deet, 457, 1026
Canada, 457
exercise, 1026
insect repellent, 457
protection time, 457, 1026
repellent, 1026
sampling bias, 457
deltamethrin,
acaricide resistance, 817
Boophilus microplus, 817
coumaphos, 817
rotation, 817
dengue, 111, 256, 263, 851, 938
Aedes aegypti, 111, 256, 263, 851, 938
bifenthrin, 256
container dynamics, 938
insecticide, 263
lethal ovitrap, 256
Mansonella ozzardi, 111
microfilaria, 111
Nicaragua, 851
oviposition, 256
piperidine, 263
productivity, 851
pupal survey, 851
Thailand, 938
transmission, 111
vector control, 938
yellow fever, 263
Dengue virus,
Aedes aegypti, 163
reverse transcriptase-polymerase chain reaction, 163
RNA, 163
dengue-2 virus,
Aedes albopictus, 492
diapause, 492
vertical transmission, 492
Dermacentor andersoni, 359, 694
climate, 359, 694
Colorado, 359
elevation, 694
geographic information system, 694
seasonal activity, 359
tick, 694
Dermacentor variabilis,
Ixodes cookei, 1118
Ixodes scapularis, 1118
lyme disease, 1118
passive tick surveillance, 1118
Dermatobia hominis,
Diptera, 398
larvae, 398
salivary gland, 398
Dermatophagoides farinae,
behavior, 367
mite, 367
Tyrophagus putrescentiae, 367
Y-tube olfactometer, 367
Dermatophagoides pteronyssinus,
life history, 568
wild populations, 568
detritus,
Aedes albopictus, 215
feeding behavior, 215
foraging ecology, 215
Ochlerotatus triseriatus, 215
diapause,
Aedes albopictus, 492
dengue-2 virus, 492
vertical transmission, 492
diel periodicity,
Culex, 211
host seeking, 211
oviposition, 211
West Nile virus, 211
diflubenzuron, 171, 1047
Anopheles quadrimaculatus, 1047
chitin synthesis inhibitor, 1047
nikkomycin Z, 1047
Phlebotomus papatasi, 171
polyoxin D, 1047
sand fly control, 171
Diptera, 249, 398
Chrysomya megacephala, 249
Dermatobia hominis, 398
larvae, 398
lignans, 249
postembryonic development, 249
salivary gland, 398
yangambin, 249
Dirofilaria,
Aedes albopictus, 1064
Culex pipiens, 1064
Italy, 1064
vectors, 1064
disease vector,
house fly, 666
Newcastle disease, 666
poultry, 666
dispersal,
Anopheles funestus, 923
Anopheles gambiae, 923
mark–release–recapture, 923
survival probability, 923
dispersal polymorphism,
Chagas disease, 186
flight muscles, 186
reinfestation, 186
Triatominae, 186
distribution,
ecology, 29
Iraq, 29
phlebotomine, 29
sandfly, 29
DNA barcodes,
Culicidae, 1
India, 1
taxonomy, 1
dogs,
Brazil, 126
Ehrlichia canis, 126
prevalence, 126
Rhipicephalus sanguineus, 126
domestic landscape,
corvid, 1067
Culex infection, 1067
West Nile virus, 1067
dominance,
acetylcholinesterase, 805
Anopheles gambiae, 805
insecticides, 805
resistance, 805
doramectin,
control, 277
endectocide, 277
Rhipicephalus (*Boophilus*) *microplus*, 277
duration of infectivity,
Oropsylla montana, 672
plague, 672
transmission, 672
Yersinia pestis, 672

E

echidna,
Bothriocroton concolor, 901
kangaroo, 901
ecology,
distribution, 29
Iraq, 29
phlebotomine, 29
sandfly, 29
ecotoxicology,
environmental contaminant, 811
larvicide, 811
mosquito, 811
pollution, 811
ectoparasite, 405, 953
acari, 405
assemblage, 953
bat, 953
Madagascar, 405
mammals, 405
mites, 405
Mormoopidae, 953
Puerto Rico, 953
Edhazardia aedis,
attraction, 1040
blood feeding fecundity, 1040
landing/probing, 1040
repellent protection time, 1040
eggs,
Aedini, 799
biological control, 799
Culicidae, 799
fungi, 799
Ehrlichia canis,
Brazil, 126
dogs, 126
prevalence, 126
Rhipicephalus sanguineus, 126
Ehrlichia chaffeensis,
Borrelia lonestari, 478
deer, 478
Ehrlichia ewingii, 478
lone star ticks, 478
Ehrlichia ewingii,
Borrelia lonestari, 478
deer, 478
Ehrlichia chaffeensis, 478
lone star ticks, 478
electrophysiology, 617, 656
Aedes aegypti, 617
attraction kairomone, 617
avermectins, 656
Culicoides imicola, 656
host-seeking, 617
kairomones, 656
midge, 656
elevation,
climate, 694
Dermacentor andersoni, 694
geographic information system, 694
tick, 694
endectocide,
control, 277
doramectin, 277
Rhipicephalus (*Boophilus*) *microplus*, 277
endosymbiont,
chromosomes, 1091
phylogeny, 1091
RCCE3, 1091
seabird soft tick, 1091
environmental contaminant,
ecotoxicology, 811
larvicide, 811
mosquito, 811
pollution, 811
erucism,
Hylesia metabus, 440
inflammation, 440
proteolytic enzymes, 440
estimation,
Ae. aegypti, 930
calibration, 930
productivity, 930
pupae, 930
exercise,
deet, 1026
protection time, 1026
repellent, 1026
expectoration,
Flavivirus, 845
mosquito, 845
saliva, 845
sucrose, 845
exposure duration,
relative humidity, 372
survival model, 372
tick abundance, 372

F

feeding behavior,
Aedes albopictus, 215
detritus, 215
foraging ecology, 215
Ochlerotatus triseriatus, 215
field testing,
insecticide-treated hammock, 651
malaria vectors, 651
permethrin, 651
pest mosquitoes, 651
fitness,
mosquito, 1074
reproduction, 1074
West Nile virus, 1074
Flavivirus, 93, 845
expectoration, 845
host range specificity, 93
in vitro system, 93
mosquito, 93, 845
saliva, 845
sucrose, 845
tick, 93
flea, 328, 530, 678
Anaplasma phagocytophilum, 328
geographical information system, 530
Ixodes spp. ticks, 328
landscape features, 530
plague, 530, 678
transmission, 678
Xenopsylla cheopis, 678
Yersinia pestis, 328, 530, 678
flea larvae,
bat fleas, 915
flying squirrel fleas, 915
Insecta, 915
taxonomy, 915
flies,
chickens, 840
mechanical vector, 840
Newcastle disease virus, 840
poultry, 840
flight muscles,
Chagas disease, 186
dispersal polymorphism, 186
reinfestation, 186
Triatominae, 186
Flock House virus,
mosquitoes, 102
reduviid, 102
tsetse, 102
flying squirrel fleas,
bat fleas, 915
flea larvae, 915
Insecta, 915
taxonomy, 915
foraging,
behavior, 984
interactions, 984
invasive, 984
mosquito, 984
foraging ecology,
Aedes albopictus, 215
detritus, 215
feeding behavior, 215
Ochlerotatus triseriatus, 215
Forensic Anthropology Center (FAC),
forensic entomology, 881
forensically important insects, 881
porcine surrogates, 881
sampling methods, 881
forensic entomology, 351, 450, 509, 516, 881
crime scene, 516
cuticular hydrocarbon, 450
Forensic Anthropology Center (FAC), 881

forensically important insects, 881
gas chromatography-mass spectrometry, 450
homeostasis, 516
maggot mass, 516
necrophagous fly, 450
photoperiod, 351
PMI, 351
porcine surrogates, 881
postmortem interval, 509
pupal exuviae, 450
sampling methods, 881
successional pattern, 509
thermal ecology, 516
forensically important insects,
Forensic Anthropology Center (FAC), 881
forensic entomology, 881
porcine surrogates, 881
sampling methods, 881
formic acid,
Amblyomma, 718
anting, 718
Camponotus rufipes, 718
repellence, 718
Francisella tularensis,
Arkansas, 389
Missouri, 389
ticks, 389
tularemia, 389
fungi,
Aedini, 799
biological control, 799
Culicidae, 799
eggs, 799

G

gas chromatography-mass spectrometry,
cuticular hydrocarbon, 450
forensic entomology, 450
necrophagous fly, 450
pupal exuviae, 450
gene flow, 601, 998
Anopheles farauti, 601
colonizing species, 998
invasive species, 998
malaria, 601
mitochondrial variation, 998
phylogeography, 998
Vanuatu, 601
vector control, 601
genetic structure,
altitudinal gradient, 433
La Réunion Island, 433
microsatellite markers, 433
stable flies, 433
genetics,
Culex pipiens f. molestus, 50
Culex pipiens pipiens, 50
microsatellites, 50
West Nile virus, 50
geographic information system,
climate, 694
Dermacentor andersoni, 694
elevation, 694
tick, 694
geographical information system,
fleas, 530
landscape features, 530
plague, 530
Yersina pestis, 530
geometric morphometrics,
Burkina Faso, 788
Glossina palpalis gambiensis, 788
isolation, 788
microsatellite DNA, 788
Gigantolaelaps mattogrossensis,
abundance, 80
climatic indicators, 80
Oryzomys palustris, 80
seasonal variation, 80
GIS,
climate, 1139
landscape, 1139
mosquito, 1139
Glossina,
antimicrobial peptide, 660
immunity, 660
Trypanosoma, 660
vector competence, 660
Glossina palpalis gambiensis,
Burkina Faso, 788
geometric morphometrics, 788
isolation, 788
microsatellite DNA, 788

H

habitat productivity,
African highland, 758
Anopheles gambiae larvae, 758
malaria, 758
habitat use,
litter, 575
plants, 575
soil, 575
ticks, 575
half-life,
Aedes aegypti, 631
larvicide, 631
oviposition response, 631
spinosad, 631
Hawai'i,
avian malaria, 861
Culex quinquefasciatus, 861
land use, 861
Plasmodium relictum, 861
Helodes pulchella,
Aedes triseriatus, 589
leaf litter, 589
resource quantity and quality, 589
treeholes, 589
hemimetabolous,
Pediculus humanus capitis, 1009
Pediculus humanus humanus, 1009
heterogeneity,
Aedes aegypti, 345
BG-Sentinel, 345
sampling, 345
spatial, 345
homeostasis,
crime scene, 516
forensic entomology, 516
maggot mass, 516
thermal ecology, 516
host DNA identification,
bloodmeal, 1109
Borrelia infected ticks, 1109
host identification,
12S rDNA, 869
bloodmeal, 869
Ixodes ricinus, 869
tick, 869
host odor,
Lutzomyia longipalpis, 779
sex pheromone, 779
synergism, 779
host range specificity,
flavivirus, 93
in vitro system, 93
mosquito, 93
tick, 93
host seeking, 211, 617
Aedes aegypti, 617
attraction kairomone, 617
Culex, 211
diel periodicity, 211
electrophysiology, 617
oviposition, 211
West Nile virus, 211
house fly,
disease vector, 666
Newcastle disease, 666
poultry, 666
human odor,
carbon dioxide, 970
mosquito sampling, 970
odor baits, 970
Hylesia metabus,
erucism, 440
inflammation, 440
proteolytic enzymes, 440

I

I. scapularis,
deer reduction, 752
Lyme disease risk, 752
identification,
bloodmeal, 85
mosquito, 85
PCR, 85

real-time, 85
immature stages,
Lutzomyi whitmani, 903
Lutzomyi. intermedia, 903
scanning electron microscopy, 903
immune modulation,
adhesion molecule, 1054
B-T cell interaction, 1054
cytokine, 1054
Sarcoptes scabiei, 1054
immunity,
antimicrobial peptide, 660
Glossina, 660
Trypanosoma, 660
vector competence, 660
immunohistochemistry,
Boophilus, 484
D. andersoni, 484
tick-borne transmission, 484
in situ hybridization,
Culex pipiens complex, 229
Culex quinquefasciatus, 229
polytene chromosomes, 229
in vitro system,
flavivirus, 93
host range specificity, 93
mosquito, 93
tick, 93
India,
Culicidae, 1
DNA barcodes, 1
taxonomy, 1
Indonesia,
Anopheles, 543
Java, 543
larval ecology, 543
principal component analysis, 543
indoxacarb,
Anopheles gambiae, 270
insecticide resistance, 270
mosquito, 270
inflammation,
erucism, 440
Hylesia metabus, 440
proteolytic enzymes, 440
insect repellent,
Canada, 457
deet, 457
protection time, 457
sampling bias, 457
Insecta,
bat fleas, 915
flea larvae, 915
flying squirrel fleas, 915
taxonomy, 915
insecticide, 65, 263, 805
acetylcholinesterase, 805
Aedes aegypti, 65, 263
Anopheles gambiae, 805
dengue, 263
dominance, 805
piperidine, 263
pyrethrin, 65
resistance, 805
Thailand, 65
vector control, 65
yellow fever, 263
insecticide resistance, 72, 175, 270, 463, 822, 990
acetylcholinesterase, 72
acetylcholinesterase insensitivity, 463
Anopheles funestus, 990
Anopheles gambiae, 270
bed bug, 175
Culex pipiens, 463
Culex pipiens form *molestus*, 822
Culex pipiens pallens, 822
Culex tritaeniorhynchus, 463
cytogenetics, 990
indoxacarb, 270
malaria, 990
mosquito, 270
pediculicide efficacy, 72
Pediculus humanus humanus, 72
pyrethroid, 822
pyrethroids, 175
resurgence, 175
urban pest, 175
West Nile fever, 822
insecticide-treated hammock,
field testing, 651
malaria vectors, 651
permethrin, 651
pest mosquitoes, 651
integrated control,
4-Poster, 830
Ixodes scapularis, 830
Maxforce, 830
Tick Management System, 830
interactions,
behavior, 984
foraging, 984
invasive, 984
mosquito, 984
internal transcribed spacer region 1,
Aedes mosquitoes, 376
container mosquito species, 376
polymerase chain reaction diagnostic, 376
intraperitoneal microfilariae,
Armigeres subalbatus melanization, 295
Brugia malayi, 295
Brugia pahangi, 295
intraseasonal,
Ixodes scapularis, 898
Lyme disease, 898
tick abundance, 898
variation, 898
intrinsic disorder,
C-terminal extension, 608
Culicomorpha, 608
low-complexity region, 608
ribosomal protein, 608
invasive,
behavior, 984
foraging, 984
interactions, 984
mosquito, 984
invasive species,
colonizing species, 998
gene flow, 998
mitochondrial variation, 998
phylogeography, 998
Iraq,
distribution, 29
ecology, 29
phlebotomine, 29
sandfly, 29
isolation,
Burkina Faso, 788
geometric morphometrics, 788
Glossina palpalis gambiensis, 788
microsatellite DNA, 788
Italy, 303, 1064
Aedes albopictus, 1064
Borrelia lusitaniae, 303
Culex pipiens, 1064
Dirofilaria, 1064
Ixodes ricinus, 303
Podarcis muralis, 303
vectors, 1064
ITS2,
Amblyomma, 222
phylogeny, 222
taxonomy, 222
ticks, 222
Ixodes cookei,
Dermacentor variabilis, 1118
Ixodes scapularis, 1118
lyme disease, 1118
passive tick surveillance, 1118
Ixodes pacificus,
song sparrow, 320
transmission, 320
west fence lizard, 320
West Nile virus, 320
Ixodes ricinus, 303, 869
12S rDNA, 869
bloodmeal, 869
Borrelia lusitaniae, 303
host identification, 869
Italy, 303
Podarcis muralis, 303
tick, 869

Ixodes scapularis, 168, 830, 898, 1118
4-Poster, 830
antigenic variation, 168
Borrelia, 168
Dermacentor variabilis, 1118
integrated control, 830
intraseasonal, 898
Ixodes cookei, 1118
lyme disease, 898, 1118
Maxforce, 830
passive tick surveillance, 1118
tick abundance, 898
Tick Management System, 830
ticks, 168
variation, 898
VlsE, 168
Ixodes spp. ticks,
Anaplasma phagocytophilum, 328
fleas, 328
Yersinia pestis, 328
ixodid tick,
laboratory colony, 732
life cycle, 732
vector, 732
Ixodidae,
acaricide resistance, 1013
Boophilus, 1013
cattle fever tick, 1013
OP resistance, 1013

J

Java,
Anopheles, 543
Indonesia, 543
larval ecology, 543
principal component analysis, 543

K

kairomones,
avermectins, 656
Culicoides imicola, 656
electrophysiology, 656
midge, 656
kangaroo,
Bothriocroton concolor, 901
echidna, 901
kdr-like gene mutation,
Pediculus humanus capitis, 796
permethrin resistance, 796
Kenya, 336, 503
Culex quinquefasciatus, 503
mosquitoes, 336
physicochemical, 336
rice, 336
rice agroecosystems, 503
succession, 336
trapping systems, 503
Kerteszia,
Anopheles cruzii, 538
Atlantic rain forest, 538
bromeliad-malaria, 538
second internal transcribed spacer, 538
knockdown resistance,
Anopheles gambiae, 498
Côte d'Ivoire, 498
long-lasting impregnated nets, 498
Korea,
An. pullus, 1086
An. sinensis, 1086
Anopheles kleini, 1086
Plasmodium vivax, 1086

L

La Réunion Island,
altitudinal gradient, 433
genetic structure, 433
microsatellite markers, 433
stable flies, 433
laboratory colony,
ixodid tick, 732
life cycle, 732
vector, 732
lambda-cyhalothrin,
adulticide, 470
Aedes, 470
bifenthrin, 470
Culex, 470
land cover,
Aedes, 133
Anopheles, 133
larval habitat, 133
Thailand, 133
land use,
avian malaria, 861
Culex quinquefasciatus, 861
Hawai'i, 861
Plasmodium relictum, 861
landing/probing,
attraction, 1040
blood feeding fecundity, 1040
Edhazardia aedis, 1040
repellent protection time, 1040
landscape,
climate, 1139
GIS, 1139
mosquito, 1139
landscape features,
fleas, 530
geographical information system, 530
plague, 530
Yersina pestis, 530
larvae,
Dermatobia hominis, 398
Diptera, 398
salivary gland, 398
larval ecology,
Anopheles, 543
Indonesia, 543
Java, 543
principal component analysis, 543
larval habitat,
Aedes, 133
Anopheles, 133
land cover, 133
Thailand, 133
larvicide, 631, 811
Aedes aegypti, 631
ecotoxicology, 811
environmental contaminant, 811
half-life, 631
mosquito, 811
oviposition response, 631
pollution, 811
spinosad, 631
leaf litter,
Aedes triseriatus, 589
Helodes pulchella, 589
resource quantity and quality, 589
treeholes, 589
Leishmania,
metabolic processes, 150
Phlebotomus, 150
sand fly, 150
temperature, 150
lethal ovitrap,
Aedes aegypti, 256
bifenthrin, 256
dengue, 256
oviposition, 256
life cycle,
ixodid tick, 732
laboratory colony, 732
vector, 732
life history,
Dermatophagoides pteronyssinus, 568
wild populations, 568
life table,
Supella longipalpa, 772
temperature, 772
lignans,
Chrysomya megacephala, 249
Diptera, 249
postembryonic development, 249
yangambin, 249
litter,
habitat use, 575
plants, 575
soil, 575
ticks, 575
lone star ticks,
Borrelia lonestari, 478
deer, 478

Ehrlichia chaffeensis, 478
Ehrlichia ewingii, 478
long-lasting impregnated nets,
Anopheles gambiae, 498
Côte d'Ivoire, 498
knockdown resistance, 498
low temperature,
Aedes aegypti, 205
Aedes albopictus, 205
LT_{50}, 205
survival, 205
low-complexity region,
C-terminal extension, 608
Culicomorpha, 608
intrinsic disorder, 608
ribosomal protein, 608
LT_{50},
Aedes aegypti, 205
Aedes albopictus, 205
low temperature, 205
survival, 205
Lutzomyi whitmani,
immature stages, 903
Lutzomyi. intermedia, 903
scanning electron microscopy, 903
Lutzomyi. intermedia,
immature stages, 903
Lutzomyi whitmani, 903
scanning electron microscopy, 903
Lutzomyia longipalpis, 639, 779
acetylcholinesterase, 639
carbamate resistance, 639
host odor, 779
organophosphorus resistance, 639
sex pheromone, 779
synergism, 779
lyme disease, 898, 1118
Dermacentor variabilis, 1118
intraseasonal, 898
Ixodes cookei, 1118
Ixodes scapularis, 898, 1118
passive tick surveillance, 1118
tick abundance, 898
variation, 898
Lyme disease risk,
deer reduction, 752
I. scapularis, 752

M

Macronyssidae, 8, 709
bat ectoparasites, 8
northern fowl mite, 709
Ornithonyssus sylviarum, 709
Parichoronyssus bakeri, 8
Phyllostomus, 8
Madagascar,
acari, 405
ectoparasites, 405
mammals, 405
mites, 405
maggot mass,
crime scene, 516
forensic entomology, 516
homeostasis, 516
thermal ecology, 516
malaria, 601, 758, 990
African highland, 758
Anopheles farauti, 601
Anopheles funestus, 990
Anopheles gambiae larvae, 758
cytogenetics, 990
gene flow, 601
habitat productivity, 758
insecticide resistance, 990
Vanuatu, 601
vector control, 601
malaria vectors,
field testing, 651
insecticide-treated hammock, 651
permethrin, 651
pest mosquitoes, 651
malathion,
Anopheles minimus complex, 1032
behavioral avoidance, 1032
carbaryl, 1032
cypermethrin, 1032
mammals,
acari, 405
ectoparasites, 405
Madagascar, 405
mites, 405
Mansonella ozzardi,
Aedes aegypti, 111
dengue, 111
microfilaria, 111
transmission, 111
Mansonia spp.,
Anopheles darlingi, 624
Cymbopogon citratus, 624
plant-based, 624
repellent, 624
mark–release–recapture,
Anopheles funestus, 923
Anopheles gambiae, 923
dispersal, 923
survival probability, 923
mating,
Aedes aegypti, 422
age and body size effect, 422
sperm capacity, 422
Maxforce,
4-Poster, 830
integrated control, 830
Ixodes scapularis, 830
Tick Management System, 830
mechanical vector,
chickens, 840
flies, 840
Newcastle disease virus, 840
poultry, 840
Mediterranean region,
climate change, 1130
climate niche, 1130
sensitivity, 1130
ticks, 1130
metabolic processes,
Leishmania, 150
Phlebotomus, 150
sand fly, 150
temperature, 150
microfilaria,
Aedes aegypti, 111
dengue, 111
Mansonella ozzardi, 111
transmission, 111
microsatellite DNA,
Burkina Faso, 788
geometric morphometrics, 788
Glossina palpalis gambiensis, 788
isolation, 788
microsatellite loci,
Culex p. quinquefasciatus, 145
Culex pipiens complex, 145
microsatellite markers,
altitudinal gradient, 433
genetic structure, 433
La Réunion Island, 433
stable flies, 433
microsatellites,
Culex pipiens f. molestus, 50
Culex pipiens pipiens, 50
genetics, 50
West Nile virus, 50
midge,
avermectins, 656
Culicoides imicola, 656
electrophysiology, 656
kairomones, 656
Missouri,
Arkansas, 389
Francisella tularensis, 389
ticks, 389
tularemia, 389
mite, 367, 405
acari, 405
behavior, 367
Dermatophagoides farinae, 367
ectoparasites, 405
Madagascar, 405
mammals, 405
Tyrophagus putrescentiae, 367
Y-tube olfactometer, 367
mitochondrial DNA,
Anopheles sundaicus complex, 723
morphology, 723
multiplex polymerase chain reaction, 723
Southeast Asia, 723

mitochondrial variation,
colonizing species, 998
gene flow, 998
invasive species, 998
phylogeography, 998
mixed infection,
Borrelia-infected ticks, 683
climate, 683
phenology, 683
tick density, 683
mode of action,
Blattella germanica, 524
botanical insecticide, 524
Myristica fragrans, 524
natural fumigant, 524
molecular forms,
Anopheles gambiae, 60
postmating, 60
molecular phylogeny,
BTV, 1019
Culicoides, 1019
Obsoletus complex, 1019
Mormoopidae,
assemblage, 953
bat, 953
ectoparasite, 953
Puerto Rico, 953
morphology,
Anopheles sundaicus complex, 723
mitochondrial DNA, 723
multiplex polymerase chain reaction, 723
Southeast Asia, 723
mosquito, 85, 93, 102, 270, 316, 336, 554, 811, 845, 984, 1074, 1139
Anopheles gambiae, 270
behavior, 984
biogeography, 554
bloodmeal, 85
climate, 1139
country occurrence records, 554
ecotoxicology, 811
environmental contaminant, 811
expectoration, 845
fitness, 1074
Flavivirus, 93, 845
Flock House virus, 102
foraging, 984
GIS, 1139
host range specificity, 93
identification, 85
in vitro system, 93
indoxacarb, 270
insecticide resistance, 270
interactions, 984
invasive, 984
Kenya, 336
landscape, 1139
larvicide, 811
oral infection, 316
PCR, 85
physicochemical, 336
pollution, 811
real-time, 85
reduviid, 102
reproduction, 1074
rice, 336
saliva, 845
song sparrow, 316
species richness, 554
species–area relationship, 554
succession, 336
sucrose, 845
tick, 93
tsetse, 102
West Nile virus, 316, 1074
western equine encephalomyelitis virus, 316
mosquito biting cycles,
Aedes vexans, 1102
Culex pipiens, 1102
Culex salinarius, 1102
West Nile virus, 1102
mosquito sampling,
carbon dioxide, 970
human odor, 970
odor baits, 970
multiplex polymerase chain reaction,
Anopheles sundaicus complex, 723
mitochondrial DNA, 723
morphology, 723
Southeast Asia, 723
Myristica fragrans,
Blattella germanica, 524
botanical insecticide, 524
mode of action, 524
natural fumigant, 524

N

natural fumigant,
Blattella germanica, 524
botanical insecticide, 524
mode of action, 524
Myristica fragrans, 524
necrophagous fly,
cuticular hydrocarbon, 450
forensic entomology, 450
gas chromatography-mass spectrometry, 450
pupal exuviae, 450
net,
abundance, 192
Aedes aegypti, 192
sampling, 192
surveillance, 192
Newcastle disease,
disease vector, 666
house fly, 666
poultry, 666
Newcastle disease virus,
chickens, 840
flies, 840
mechanical vector, 840
poultry, 840
Nicaragua,
Aedes aegypti, 851
dengue, 851
productivity, 851
pupal survey, 851
nikkomycin Z,
Anopheles quadrimaculatus, 1047
chitin synthesis inhibitor, 1047
diflubenzuron, 1047
polyoxin D, 1047
noninfectious virus,
cliff swallow, 42
coloniality, 42
parasitism, 42
virus ecology, 42
nonviremic transmission,
Culex quinquefasciatus, 299
Culex tarsalis, 299
West Nile virus, 299
northern fowl mite,
Macronyssidae, 709
Ornithonyssus sylviarum, 709
novaluron,
Phlebotomus papatasi, 714
sand fly control, 714

O

Obsoletus complex,
BTV, 1019
Culicoides, 1019
molecular phylogeny, 1019
Ochlerotatus triseriatus,
Aedes albopictus, 215
detritus, 215
feeding behavior, 215
foraging ecology, 215
odor baits,
carbon dioxide, 970
human odor, 970
mosquito sampling, 970
OP resistance,
acaricide resistance, 1013
Boophilus, 1013
cattle fever tick, 1013
Ixodidae, 1013
oral infection,
mosquito, 316
song sparrow, 316
West Nile virus, 316
western equine encephalomyelitis virus, 316

organophosphorus resistance,
acetylcholinesterase, 639
carbamate resistance, 639
Lutzomyia longipalpis, 639
Ornithonyssus sylviarum,
Macronyssidae, 709
northern fowl mite, 709
Oropsylla montana,
duration of infectivity, 672
plague, 672
transmission, 672
Yersinia pestis, 672
Oryzomys palustris,
abundance, 80
climatic indicators, 80
Cigantolaelaps mattogrossensis, 80
seasonal variation, 80
outdoor resting,
Anopheles gambiae, 14
clay pots, 14
sampling, 14
overwintering,
Alabama, 117
Culex, 117
West Nile virus, 117
oviposition, 211, 256, 741
Aedes aegypti, 256
bifenthrin, 256
bluetongue virus, 741
Culex, 211
Culicoides sonorensis, 741
dengue, 256
diel periodicity, 211
host seeking, 211
lethal ovitrap, 256
survival, 741
temperature, 741
West Nile virus, 211
oviposition response,
Aedes aegypti, 631
half-life, 631
larvicide, 631
spinosad, 631

P

parasitism,
cliff swallow, 42
coloniality, 42
noninfectious virus, 42
virus ecology, 42
Parichoronyssus bakeri,
bat ectoparasites, 8
Macronyssidae, 8
Phyllostomus, 8
parity,
abundance, 959
Culicoides sonorensis, 959
survival, 959
temperature, 959
passive tick surveillance,
Dermacentor variabilis, 1118
Ixodes cookei, 1118
Ixodes scapularis, 1118
lyme disease, 1118
PCR,
bloodmeal, 85
identification, 85
mosquito, 85
real-time, 85
pediculicide efficacy,
acetylcholinesterase, 72
insecticide resistance, 72
Pediculus humanus humanus, 72
Pediculus humanus capitis, 796, 1009
hemimetabolous, 1009
kdr-like gene mutation, 796
Pediculus humanus humanus, 1009
permethrin resistance, 796
Pediculus humanus humanus, 72, 1009
acetylcholinesterase, 72
hemimetabolous, 1009
insecticide resistance, 72
pediculicide efficacy, 72
Pediculus humanus capitis, 1009
permethrin, 308, 651, 895
acaricide, 308, 895
field testing, 651
insecticide-treated hammock, 651
malaria vectors, 651
pest mosquitoes, 651
pesticide resistance, 308, 895
Rhipicephalus (*Boophilus*) *microplus*, 308, 895
southern cattle tick, 895
permethrin resistance,
kdr-like gene mutation, 796
Pediculus humanus capitis, 796
pest mosquitoes,
field testing, 651
insecticide-treated hammock, 651
malaria vectors, 651
permethrin, 651
pesticide resistance, 308, 895
acaricide, 308, 895
permethrin, 308, 895
Rhipicephalus (*Boophilus*) *microplus*, 308, 895
southern cattle tick, 895
phenology, 385, 683
Borrelia-infected ticks, 683
climate, 683
mixed infection, 683
Phlebotomus papatasi, 385
prevalence, 385
sand fly, 385
tick density, 683
zoonotic cutaneous leishmaniasis, 385
phlebotomine,
distribution, 29
ecology, 29
Iraq, 29
sandfly, 29
Phlebotomus, 23, 150
cutaneous leishmaniasis, 23
Leishmania, 150
metabolic processes, 150
sand fly, 23, 150
Sanhurfa, 23
temperature, 150
Turkey, 23
Phlebotomus papatasi, 171, 385, 597, 714
autogeny, 597
biology, 597
diflubenzuron, 171
novaluron, 714
phenology, 385
prevalence, 385
sand fly, 385
sand fly control, 171, 714
zoonotic cutaneous leishmaniasis, 385
photoperiod,
forensic entomology, 351
PMI, 351
Phyllostomus,
bat ectoparasites, 8
Macronyssidae, 8
Parichoronyssus bakeri, 8
phylogeny, 222, 1091
Amblyomma, 222
chromosomes, 1091
endosymbiont, 1091
ITS2, 222
RCCE3, 1091
seabird soft tick, 1091
taxonomy, 222
ticks, 222
phylogeography,
colonizing species, 998
gene flow, 998
invasive species, 998
mitochondrial variation, 998
physicochemical,
Kenya, 336
mosquitoes, 336
rice, 336
succession, 336
piperidine,
Aedes aegypti, 263
dengue, 263
insecticide, 263
yellow fever, 263

plague, 530, 672, 678
duration of infectivity, 672
flea, 678
fleas, 530
geographical information system, 530
landscape features, 530
Oropsylla montana, 672
transmission, 672, 678
Xenopsylla cheopis, 678
Yersina pestis, 530
Yersinia pestis, 672, 678
plant-based,
Anopheles darlingi, 624
Cymbopogon citratus, 624
Mansonia spp., 624
repellent, 624
plants,
habitat use, 575
litter, 575
soil, 575
ticks, 575
Plasmodium relictum,
avian malaria, 861
Culex quinquefasciatus, 861
Hawai'i, 861
land use, 861
Plasmodium vivax,
An. pullus, 1086
An. sinensis, 1086
Anopheles kleini, 1086
Korea, 1086
PMI,
forensic entomology, 351
photoperiod, 351
Podarcis muralis,
Borrelia lusitaniae, 303
Italy, 303
Ixodes ricinus, 303
pollution,
ecotoxicology, 811
environmental contaminant, 811
larvicide, 811
mosquito, 811
polymerase chain reaction diagnostic,
Aedes mosquitoes, 376
container mosquito species, 376
internal transcribed spacer region 1, 376
polyoxin D,
Anopheles quadrimaculatus, 1047
chitin synthesis inhibitor, 1047
diflubenzuron, 1047
nikkomycin Z, 1047
polytene chromosomes,
Culex pipiens complex, 229
Culex quinquefasciatus, 229
in situ hybridization, 229
population model,
climate, 765
Stomoxys, 765
porcine surrogates,
Forensic Anthropology Center (FAC), 881
forensic entomology, 881
forensically important insects, 881
sampling methods, 881
postembryonic development,
Chrysomya megacephala, 249
Diptera, 249
lignans, 249
yangambin, 249
postmating,
Anopheles gambiae, 60
molecular forms, 60
postmortem interval,
forensic entomology, 509
successional pattern, 509
poultry, 666, 840
chickens, 840
disease vector, 666
flies, 840
house fly, 666
mechanical vector, 840
Newcastle disease, 666
Newcastle disease virus, 840
prevalence, 126, 385
Brazil, 126
dogs, 126
Ehrlichia canis, 126
phenology, 385
Phlebotomus papatasi, 385
Rhipicephalus sanguineus, 126
sand fly, 385
zoonotic cutaneous leishmaniasis, 385
principal component analysis,
Anopheles, 543
Indonesia, 543
Java, 543
larval ecology, 543
productivity, 851, 930
Ae. aegypti, 930
Aedes aegypti, 851
calibration, 930
dengue, 851
estimation, 930
Nicaragua, 851
pupae, 930
pupal survey, 851
protection time, 457, 1026
Canada, 457
deet, 457, 1026
exercise, 1026
insect repellent, 457
repellent, 1026
sampling bias, 457
proteolytic enzymes,
erucism, 440
Hylesia metabus, 440
inflammation, 440
proteomics,
coagulation inhibition, 238
Culicoides nubeculosus, 238
saliva collection, 238
vasodilatation, 238
Pteronotus quadridens fuliginosus,
Cameronieta, 179
Cameronieta torrei dusbabeki, 179
Puerto Rico, 179
Spinturnicidae, 179
Puerto Rico, 179, 953
assemblage, 953
bat, 953
Cameronieta, 179
Cameronieta torrei dusbabeki, 179
ectoparasite, 953
Mormoopidae, 953
Pteronotus quadridens fuliginosus, 179
Spinturnicidae, 179
pupae,
Ae. aegypti, 930
calibration, 930
estimation, 930
productivity, 930
pupal exuviae,
cuticular hydrocarbon, 450
forensic entomology, 450
gas chromatography-mass spectrometry, 450
necrophagous fly, 450
pupal survey,
Aedes aegypti, 851
dengue, 851
Nicaragua, 851
productivity, 851
pyrethrin,
Aedes aegypti, 65
insecticide, 65
Thailand, 65
vector control, 65
pyrethroid, 175, 822
bed bug, 175
Culex pipiens form *molestus*, 822
Culex pipiens pallens, 822
insecticide resistance, 175, 822
resurgence, 175
urban pest, 175
West Nile fever, 822

R

RCCE3,
chromosomes, 1091
endosymbiont, 1091
phylogeny, 1091

seabird soft tick, 1091
real-time,
bloodmeal, 85
identification, 85
mosquito, 85
PCR, 85
reduviid,
Flock House virus, 102
mosquitoes, 102
tsetse, 102
reinfestation,
Chagas disease, 186
dispersal polymorphism, 186
flight muscles, 186
Triatominae, 186
relative humidity,
exposure duration, 372
survival model, 372
tick abundance, 372
repellence,
Amblyomma, 718
anting, 718
Camponotus rufipes, 718
formic acid, 718
repellent, 624, 1026
Anopheles darlingi, 624
Cymbopogon citratus, 624
deet, 1026
exercise, 1026
Mansonia spp., 624
plant-based, 624
protection time, 1026
repellent protection time,
attraction, 1040
blood feeding fecundity, 1040
Edhazardia aedis, 1040
landing/probing, 1040
reproduction,
fitness, 1074
mosquito, 1074
West Nile virus, 1074
resistance, 283, 805
acetylcholinesterase, 805
amitraz, 283
Anopheles gambiae, 805
dominance, 805
insecticides, 805
Rhipicephalus (*Boophilus*) *microplus*, 283
southern cattle tick, 283
resource quantity and quality,
Aedes triseriatus, 589
Helodes pulchella, 589
leaf litter, 589
treeholes, 589
resurgence,
bed bug, 175
insecticide resistance, 175
pyrethroids, 175
urban pest, 175
reverse transcriptase-polymerase chain reaction,
Aedes aegypti, 163
Dengue virus, 163
RNA, 163
Rhipicephalus (*Boophilus*) *microplus*, 277, 283, 308, 895
acaricide, 308, 895
amitraz, 283
control, 277
doramectin, 277
endectocide, 277
permethrin, 308, 895
pesticide resistance, 308, 895
resistance, 283
southern cattle tick, 283, 895
Rhipicephalus sanguineus, 126, 158
Bartonella henselae, 158
Brazil, 126
California, 158
dogs, 126
Ehrlichia canis, 126
prevalence, 126
Rickettsia rickettsii, 158
Rocky Mountain spotted fever, 158
ribosomal protein,
C-terminal extension, 608
Culicomorpha, 608
intrinsic disorder, 608
low-complexity region, 608
rice,
Kenya, 336
mosquitoes, 336
physicochemical, 336
succession, 336
rice agroecosystems,
Culex quinquefasciatus, 503
Kenya, 503
trapping systems, 503
Rickettsia rickettsii,
Bartonella henselae, 158
California, 158
Rhipicephalus sanguineus, 158
Rocky Mountain spotted fever, 158
RNA,
Aedes aegypti, 163
Dengue virus, 163
reverse transcriptase-polymerase chain reaction, 163
Rocky Mountain spotted fever,
Bartonella henselae, 158
California, 158
Rhipicephalus sanguineus, 158
Rickettsia rickettsii, 158
rotation,
acaricide resistance, 817
Boophilus microplus, 817
coumaphos, 817
deltamethrin, 817

S

salinity,
Aedes sollicitans, 705
temephos, 705
toxicity, 705
saliva,
expectoration, 845
Flavivirus, 845
mosquito, 845
sucrose, 845
saliva collection,
coagulation inhibition, 238
Culicoides nubeculosus, 238
proteomics, 238
vasodilatation, 238
salivary gland,
Dermatobia hominis, 398
Diptera, 398
larvae, 398
sampling, 14, 192, 345
abundance, 192
Aedes aegypti, 192, 345
Anopheles gambiae, 14
BG-Sentinel, 345
clay pots, 14
heterogeneity, 345
net, 192
outdoor resting, 14
spatial, 345
surveillance, 192
sampling bias,
Canada, 457
deet, 457
insect repellent, 457
protection time, 457
sampling methods,
Forensic Anthropology Center (FAC), 881
forensic entomology, 881
forensically important insects, 881
porcine surrogates, 881
sand fly, 23, 29, 150, 385
cutaneous leishmaniasis, 23
distribution, 29
ecology, 29
Iraq, 29
Leishmania, 150
metabolic processes, 150
phenology, 385
phlebotomine, 29
Phlebotomus, 23, 150
Phlebotomus papatasi, 385
prevalence, 385
Sanhurfa, 23
temperature, 150
Turkey, 23
zoonotic cutaneous leishmaniasis, 385

sand fly control, 171, 714
diflubenzuron, 171
novaluron, 714
Phlebotomus papatasi, 171, 714
Sanlurfa,
cutaneous leishmaniasis, 23
Phlebotomus, 23
sand fly, 23
Turkey, 23
Sarcoptes scabiei,
adhesion molecule, 1054
B-T cell interaction, 1054
cytokine, 1054
immune modulation, 1054
scanning electron microscopy,
immature stages, 903
Lutzomyi whitmani, 903
Lutzomyi. intermedia, 903
seabird soft tick,
chromosomes, 1091
endosymbiont, 1091
phylogeny, 1091
RCCE3, 1091
seasonal activity,
climate, 359
Colorado, 359
Dermacentor andersoni, 359
seasonal variation,
abundance, 80
climatic indicators, 80
Gigantolaelaps mattogrossensis, 80
Oryzomys palustris, 80
second internal transcribed spacer,
Anopheles cruzii, 538
Atlantic rain forest, 538
bromeliad-malaria, 538
Kerteszia, 538
sensitivity,
climate change, 1130
climate niche, 1130
Mediterranean region, 1130
ticks, 1130
sex pheromone,
host odor, 779
Lutzomyia longipalpis, 779
synergism, 779
soil,
habitat use, 575
litter, 575
plants, 575
ticks, 575
song sparrow, 316, 320
Ixodes pacificus, 320
mosquito, 316
oral infection, 316
transmission, 320
west fence lizard, 320
West Nile virus, 316, 320
western equine encephalomyelitis virus, 316
Southeast Asia,
Anopheles sundaicus complex, 723
mitochondrial DNA, 723
morphology, 723
multiplex polymerase chain reaction, 723
southern cattle tick, 283, 895
acaricide, 895
amitraz, 283
permethrin, 895
pesticide resistance, 895
resistance, 283
Rhipicephalus (*Boophilus*) *microplus*, 283, 895
spatial,
Aedes aegypti, 345
BG-Sentinel, 345
heterogeneity, 345
sampling, 345
species richness,
biogeography, 554
country occurrence records, 554
mosquito, 554
species–area relationship, 554
species–area relationship,
biogeography, 554
country occurrence records, 554
mosquito, 554
species richness, 554
sperm capacity,
Aedes aegypti, 422
age and body size effect, 422
mating, 422
spinosad,
Aedes aegypti, 631
half-life, 631
larvicide, 631
oviposition response, 631
Spinturnicidae,
Cameronieta, 179
Cameronieta torrei dusbabeki, 179
Pteronotus quadridens fuliginosus, 179
Puerto Rico, 179
stable flies,
altitudinal gradient, 433
genetic structure, 433
La Réunion Island, 433
microsatellite markers, 433
Stomoxys,
climate, 765
population model, 765
succession,
Kenya, 336
mosquitoes, 336
physicochemical, 336
rice, 336
successional pattern,
forensic entomology, 509
postmortem interval, 509
sucrose,
expectoration, 845
Flavivirus, 845
mosquito, 845
saliva, 845
Supella longipalpa,
life table, 772
temperature, 772
surveillance,
abundance, 192
Aedes aegypti, 192
net, 192
sampling, 192
survival, 205, 580, 741, 959
abundance, 959
adult mass, 580
Aedes aegypti, 205
Aedes albopictus, 205
bacteria, 580
bluetongue virus, 741
container mosquito, 580
Culicoides sonorensis, 741, 959
low temperature, 205
LT_{50}, 205
oviposition, 741
parity, 959
temperature, 741, 959
survival model,
exposure duration, 372
relative humidity, 372
tick abundance, 372
survival probability,
Anopheles funestus, 923
Anopheles gambiae, 923
dispersal, 923
mark–release–recapture, 923
synergism,
host odor, 779
Lutzomyia longipalpis, 779
sex pheromone, 779

T

taxonomy, 1, 222, 915
Amblyomma, 222
bat fleas, 915
Culicidae, 1
DNA barcodes, 1
flea larvae, 915
flying squirrel fleas, 915
India, 1
Insecta, 915
ITS2, 222
phylogeny, 222
ticks, 222
temephos,
Aedes sollicitans, 705
salinity, 705
toxicity, 705

temperature, 150, 741, 772, 959
abundance, 959
bluetongue virus, 741
Culicoides sonorensis, 741, 959
Leishmania, 150
life table, 772
metabolic processes, 150
oviposition, 741
parity, 959
Phlebotomus, 150
sand fly, 150
Supella longipalpa, 772
survival, 741, 959
Thailand, 65, 133, 938
Aedes, 133
Aedes aegypti, 65, 938
Anopheles, 133
container dynamics, 938
dengue, 938
insecticide, 65
land cover, 133
larval habitat, 133
pyrethrin, 65
vector control, 65, 938
thermal ecology,
crime scene, 516
forensic entomology, 516
homeostasis, 516
maggot mass, 516
tick, 93, 168, 222, 389, 575, 694, 869, 1130
12S rDNA, 869
Amblyomma, 222
antigenic variation, 168
Arkansas, 389
bloodmeal, 869
Borrelia, 168
climate, 694
climate change, 1130
climate niche, 1130
Dermacentor andersoni, 694
elevation, 694
flavivirus, 93
Francisella tularensis, 389
geographic information system, 694
habitat use, 575
host identification, 869
host range specificity, 93
ITS2, 222
in vitro system, 93
Ixodes ricinus, 869
Ixodes scapularis, 168
litter, 575
Mediterranean region, 1130
Missouri, 389
mosquito, 93
phylogeny, 222
plants, 575
sensitivity, 1130
soil, 575
taxonomy, 222
tularemia, 389
VlsE, 168
tick abundance, 372, 898
exposure duration, 372
intraseasonal, 898
Ixodes scapularis, 898
Lyme disease, 898
relative humidity, 372
survival model, 372
variation, 898
tick density,
Borrelia-infected ticks, 683
climate, 683
mixed infection, 683
phenology, 683
Tick Management System,
4-Poster, 830
integrated control, 830
Ixodes scapularis, 830
Maxforce, 830
tick paralysis,
Amblyomma rotundatum, 155
Coluber constrictor, 155
tick-borne transmission,
Boophilus, 484
D. andersoni, 484
immunohistochemistry, 484
toxicity,
Aedes sollicitans, 705
salinity, 705
temephos, 705
transmission, 111, 320, 672, 678
Aedes aegypti, 111
dengue, 111
duration of infectivity, 672
flea, 678
Ixodes pacificus, 320
Mansonella ozzardi, 111
microfilaria, 111
Oropsylla montana, 672
plague, 672, 678
song sparrow, 320
west fence lizard, 320
West Nile virus, 320
Xenopsylla cheopis, 678
Yersinia pestis, 672, 678
trapping reaction,
Aedes aegypti, 427
Aedes albopictus, 427
BG-Sentinel trap, 427
CDC trap, 427
trapping systems,
Culex quinquefasciatus, 503
Kenya, 503
rice agroecosystems, 503
treeholes,
Aedes triseriatus, 589
Helodes pulchella, 589
leaf litter, 589
resource quantity and quality, 589
Triatominae,
Chagas disease, 186
dispersal polymorphism, 186
flight muscles, 186
reinfestation, 186
Trypanosoma,
antimicrobial peptide, 660
Glossina, 660
immunity, 660
vector competence, 660
tsetse,
Flock House virus, 102
mosquitoes, 102
reduviid, 102
tularemia,
Arkansas, 389
Francisella tularensis, 389
Missouri, 389
ticks, 389
Turkey,
cutaneous leishmaniasis, 23
Phlebotomus, 23
sand fly, 23
Sanlurfa, 23
Tyrophagus putrescentiae,
behavior, 367
Dermatophagoides farinae, 367
mite, 367
Y-tube olfactometer, 367

U

urban pest,
bed bug, 175
insecticide resistance, 175
pyrethroids, 175
resurgence, 175

V

Vanuatu,
Anopheles farauti, 601
gene flow, 601
malaria, 601
vector control, 601
variation,
intraseasonal, 898
Ixodes scapularis, 898
Lyme disease, 898
tick abundance, 898
vasodilatation,
coagulation inhibition, 238
Culicoides nubeculosus, 238
proteomics, 238
saliva collection, 238
vector, 732, 1064
Aedes albopictus, 1064
Culex pipiens, 1064
Dirofilaria, 1064
Italy, 1064
ixodid tick, 732
laboratory colony, 732
life cycle, 732

vector competence,
antimicrobial peptide, 660
Glossina, 660
immunity, 660
Trypanosoma, 660
vector control, 65, 601, 938
Aedes aegypti, 65, 938
Anopheles farauti, 601
container dynamics, 938
dengue, 938
gene flow, 601
insecticide, 65
malaria, 601
pyrethrin, 65
Thailand, 65, 938
Vanuatu, 601
vertical transmission,
Aedes albopictus, 492
dengue-2 virus, 492
diapause, 492
virus ecology,
cliff swallow, 42
coloniality, 42
noninfectious virus, 42
parasitism, 42
VlsE,
antigenic variation, 168
Borrelia, 168
Ixodes scapularis, 168
ticks, 168

W

west fence lizard,
Ixodes pacificus, 320
song sparrow, 320
transmission, 320
West Nile virus, 320
West Nile fever,
Culex pipiens form *molestus*, 822
Culex pipiens pallens, 822
insecticide resistance, 822
pyrethroid, 822
West Nile virus, 50, 117, 211, 299, 316, 320, 1067, 1074, 1102
Aedes vexans, 1102
Alabama, 117
corvid, 1067
Culex, 117, 211
Culex infection, 1067
Culex pipiens, 1102
Culex pipiens f. molestus, 50
Culex pipiens pipiens, 50
Culex quinquefasciatus, 299
Culex salinarius, 1102
Culex tarsalis, 299
diel periodicity, 211
domestic landscape, 1067
fitness, 1074
genetics, 50
host seeking, 211
Ixodes pacificus, 320
microsatellites, 50
mosquito, 316, 1074
mosquito biting cycles, 1102
nonviremic transmission, 299
oral infection, 316
overwintering, 117
oviposition, 211
reproduction, 1074
song sparrow, 316, 320
transmission, 320
west fence lizard, 320
western equine encephalomyelitis virus, 316
western equine encephalomyelitis virus,
mosquito, 316
oral infection, 316
song sparrow, 316
West Nile virus, 316
wild populations,
Dermatophagoides pteronyssinus, 568
life history, 568

X

Xenopsylla cheopis,
flea, 678
plague, 678
transmission, 678
Yersinia pestis, 678

Y

Y-tube olfactometer,
behavior, 367
Dermatophagoides farinae, 367
mite, 367
Tyrophagus putrescentiae, 367
yangambin,
Chrysomya megacephala, 249
Diptera, 249
lignans, 249
postembryonic development, 249
yellow fever,
Aedes aegypti, 263
dengue, 263
insecticide, 263
piperidine, 263
Yersinia pestis, 328, 530, 672, 678
Anaplasma phagocytophilum, 328
duration of infectivity, 672
flea, 328, 530, 678
geographical information system, 530
Ixodes spp. ticks, 328
landscape features, 530
Oropsylla montana, 672
plague, 530, 672, 678
transmission, 672, 678
Xenopsylla cheopis, 678

Z

zoonotic cutaneous leishmaniasis,
phenology, 385
Phlebotomus papatasi, 385
prevalence, 385
sand fly, 385